

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON

12-31-2022

NUMBER

3333000153

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LABORATORY LICENSE  
PCM PCMF PCMO PLM



APPLIED LABORATORY SERVICES LLC  
4101 GRANBY ST  
SUITE 404  
NORFOLK, VA 23504



*Mary Broz-Vaughan*  
Mary Broz-Vaughan, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LABORATORY LICENSE

PCM PCMF PCMO PLM

NUMBER: 3333000153 EXPIRES: 12-31-2022

APPLIED LABORATORY SERVICES LLC  
4101 GRANBY ST  
SUITE 404  
NORFOLK, VA 23504



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)