

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9900 Mayland Drive, Suite 400, Richmond, VA 23213

Telephone: (804) 367-4500

EXPIRES ON

12-31-2023

NUMBER

3333000153

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE
PCM PCMF PCMO PLM



APPLIED LABORATORY SERVICES LLC
4101 GRANBY ST
SUITE 404
NORFOLK, VA 23504



David M. ...
DIRECTOR

Status can be verified at <http://www.dpoa.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOA-LIC (02/2017)

(02/2014-01/2015)



COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE

PCM PCMF PCMO PLM

NUMBER: 3333000153 EXPIRES: 12-31-2023

APPLIED LABORATORY SERVICES LLC
4101 GRANBY ST
SUITE 404
NORFOLK, VA 23504



Status can be verified at <http://www.dpoa.virginia.gov>

DPOA-PC (02/2017)